Declassified in Part - Sanitized Copy Approved for Release 2012/03/21: CIA-RDP79B01709A002800040003-6 Handle via BYEMAN 25X1 Control System COMOR-D-48/76 (CWG-D-13/4)22 June 1964 Committee on Overhead Reconnaissance MEMORANDUM FOR: The Standby Crisis Satellite SUBJECT: USIB-D-41.14/7(COMOR-D-48/21), 11Feb 63 REFERENCE: Attached for the consideration of COMOR at its meeting on 25 June is a draft memorandum to the Board on the above subject prepared by the COMOR Photo Working Group. This is responsive to the COMOR request to the PWG on 11 June 1964 (see COMOR-M-245, para 3 b). 25X1 ames Q. Reber Chairman Committee of Overhead Reconnaissance Attachment: Subject paper State TCO Copies 2,3 25X1 DIA DIA TCO 5, 6, 7, 8 OACSI TCO ONI TCO 10,11 AFNIN TCO 12, 13, 14, 15 NSA TCO 16, 17 NRO TCO 18, 19 BYE-2914-64 Copy 37 of 53

TOP SECRET

GROUP 1
Excluded from automatic
downgrading and declassification

25X1

Handle via BYEMAN

Control System

Handle via BYEMAN	TOP SECRET	
Control System		
D - R - A - F - T		COMOR-D-48/7 (CWG-D-13/4)

MEMORANDUM FOR THE UNITED STATES INTELLIGENCE BOARD SUBJECT: The Standby Crisis Satellite

- 1. On 11 February 1963 (see ref, para 8b) the USIB requested that the NRO investigate the possibility of developing a standby satellite reconnaissance capability for use in crisis situations. This capability was to include provision for immediate replacement of vehicles fired and a means for these vehicles faking priority over other firings in the U. S. satellite schedule. Targets were to be relatively few in number and programming was to be tailored to cover a broad and representative sample of targets and as many as possible during each day's orbit.
- 2. In response to this request the NRO has programmed KH-4 vehicles against indications targets and placed them in standby status. Because seven days are required between the request for launch and actual firing, these KH-4 vehicles have become known as R minus 7 (R -7) standbys, the only satellite systems specifically programmed against indications targets. However, these vehicles are unsuitable for early-warning purposes; they are better suited as collectors of information which, in conjunction with collateral, may produce evidence of gradual mobilization or a check on enemy posture during a period of international tension.
- 3. The present KH-4 R -7 standby, however, suffers from a serious deficiency as a "crisis" vehicle, aside from the response time, in that photographic resolution of the KH-4, which was designed primarily for search coverage, is insufficient for most indications purposes. For example, although it is usually possible to determine from KH-4 photography whether or nor submarines are in port, they cannot always be identified by type. Smaller aircraft can be neither accurately counted not typed. Transportation and ground force activity cannot be analyzed satisfactorily.
- 4. In view of the evident deficiencies of the KH-4 and the demonstrated capabilities of the KH-7, the latter vehicle appears to be better suited to an indications role. Although the KH-7 response time

2 BYE-2914-64

Handle via BYEMAN
Control System

25X1

25X1

^{*}Ten days to two weeks (depending on time in orbit) appears to be about the most rapid response time that can be expected.

Declassified in Part - Sanitized Copy Approved for Release 2012/03/21: CIA-RDP79B01709A002800040003-6

Handle via BYEMAN Control System

TOP	SECRET

25X1

COMOR -D-48/76 (CWG-D-13/4)

is less than satisfactory, and perhaps fewer targets could be covered, the improved resolution would permit determination of air, ground, missile, and naval Order of Battle and could provide intelligence on highway and rail activity. Information of this kind would contribute materially to a more accurate evaluation of a developing situation.

5. Conclusions:

- a. The KH-4 is not an effective vehicle for crisis situations.
- b. The KH-7, while having limitations, comes closer to meeting crisis needs.
- 6. Recommendation: That the NRO be requested to substitute the KH-7 for the KH-4 as a crisis satellite as an interim until near real time reconnaissance systems become available.

BYE-2914-64
Handle via BYEMAN
Control System

25X1

3

Declassified in Part - Sanitized Copy Approved for Release 2012/03/21 : CIA-RDP79B01709A002800040003-6

Handle via BYEMAN Control System

GAMBIT/CORONA

COMOR-D-48/76 (CWG-D-13/4)

25X1

Copy 1 20	DCI TCO for USIB/S TSO CIA
21	
22-30	AsstOps/NPIC
31	DDI TCO
32,33	CGS
34, 35	CIA COMOR Member
36,37	Ch/COMOR Wkg Grp
38	CGS/ReqBr/ReconGrp
39	AD/SI
40	DDP TCO
41	DDS&T TCO
42	C/Action/DDS&T
43	AD/EL
44	AD/SA
45	FA/OSA
46	ID/OSA
47	SS/OSA
48	SAL/OSA
49	RB/OSA
50 - 53	SA(COMOR)/DDS&T

BYE-2914-64

GAMBIT/CORONA

Handle via BYEMAN Control System